Plant Molecular Biology **44**: 833–838, 2000.

Contents of Volume 44

Vol. 44, No. 1, No. 1 September (I) 2000

The rop GTPase: an emerging signaling switch in plants
Z.-L. Zheng, Z. Yang **1–9**

ERN1, a novel ethylene-regulated nuclear protein of *Arabidopsis*
S.M. Trentmann **11–25**

Rice *PHYC* gene: structure, expression, map position and evolution
D. Basu, K. Dehesh, H.-J. Schneider-Poetsch, S.E. Harrington, S.R. McCouch, P.H. Quail **27–42**

cDNA cloning, expression and functional characterization of an *Arabidopsis thaliana* homologue of the *Escherichia coli* DNA repair enzyme endonuclease III
T. Roldán-Arjona, M.-V. García-Ortiz, M. Ruiz-Rubio, R.R. Ariza **43–52**

Expression of a yeast RNase III gene in transgenic tobacco silences host nitrite reductase genes
R. Berthomé, P.-Y. Teycheney, J.-P. Renou, Y. Okada, M. Tepfer **53–60**

An *Arabidopsis* gene induced by wounding functionally homologous to flavoprotein oxidoreductases
C.L. Costa, P. Arruda, C.E. Benedetti **61–71**

The *diageotropica* mutation alters auxin induction of a subset of the *Aux/IAA* gene family in tomato
A. Nebenführ, TJ White, T.L. Lomax **73–84**

Glucose repression of α-amylase in barley embryos is independent of *GAMYB* transcription
E. Loreti, C.-a. Matsukura, F. Gubler, A. Alpi, J. Yamaguchi, P. Perata **85–90**

Interaction of nuclear proteins with intrinsically curved DNA in a matrix attachment region of a tobacco gene
Y. Fukuda **91–98**

The promoter of *rbcS* in a C3 plant (rice) directs organ-specific, light-dependent expression in a C4 plant (maize), but does not confer bundle sheath cell-specific expression
M. Nomura, K. Katayama, A. Nishimura, Y. Ishida, S. Ohta, T. Komari, M. Miyao-Tokutomi, S. Tajima, M. Matsuoka **66–106**

Characterization of a gene from *Zea mays* related to the *Arabidopsis* flowering-time gene *LUMINIDEPENDENS*
S. van Nocker, M. Muszynski, K. Briggs, R.M. Amasino **107–122**

Vol. 44, No. 2 September (II) 2000

Mini-review

F-box proteins and protein degradation: An emerging theme in cellular regulation
J. Carlos del Pozo, M. Estelle **123–128**

Research papers

Plant lipoxygenase 2 is a translation initiation factor-4E-binding protein
M.A. Freire, C. Tourneur, F. Granier, J. Camonis, A. El Amrani, K.S. Browning, C. Robaglia **129–140**

Regulation of NADPH-cytochrome P450 reductase expressed during Douglas-fir germination and seedling development
T.J. Tranbarger, B.S. Forward, S. Misra **141–153**

Splicing of *Arabidopsis* tRNA^{Met} precursors in tobacco cell and wheat germ extracts
K. Akama, V. Junker, Y. Yukawa, M. Sugiura, H. Beier **155–165**

Functional analysis of a *RPD3* histone deacetylase homologue in *Arabidopsis thaliana*
K. Wu, K. Malik, L. Tian, D. Brown, B. Miki **167–176**

Transient expression of a pea MAP kinase gene induced by gibberellic acid and 6-benzyladenine in unpollinated pea ovaries
M.J. Marcote, J. Carbonell **177–186**

Characterization and cDNA cloning of two glycine- and histidine-rich antimicrobial peptides from the roots of shepherd's purse, *Capsella bursa-pastoris*
C.J. Park, C.B. Park, S.-S. Hong, H.-S. Lee, S.Y. Lee, S.C. Kim **187–197**

Two dioxygenase genes, *Ids3* and *Ids2*, from *Hordeum vulgare* are involved in the biosynthesis of mugineic acid family phytosiderophores
H. Nakanishi, H. Yamaguchi, T. Sasakuma, N.K. Nishizawa, S. Mori **199–207**

Defence gene expression in soybean is linked to the status of the cell death program
A. Ludwig, R. Tenhaken **209–218**

A non-toxic pokeweed antiviral protein mutant inhibits pathogen infection via a novel salicylic acid-independent pathway
O. Zoubenko, K. Hudak, N.E. Tumer **219–229**

***Arabidopsis* ATP A2 peroxidase. Expression and high-resolution structure of a plant peroxidase with implications for lignification**
L. Østergaard, K. Teilum, O. Mirza, O. Mattsson, M. Petersen, K.G. Welinder, J. Mundy, M. Gajhede, A. Henriksen **231–243**

Vol. 44, No. 3 October 2000

Special issue:
Programmed Cell Death in Higher Plants

Guest editors:
Eric Lam[1], Hiroo Fukuda[2] and Jean Greenberg[3]

[1] *Biotech Center, Rutgers University, New Brunswick, NJ,, USA*
[2] *Department of Biological Sciences, University of Tokyo, Tokyo, Japan*
[3] *Department of Molecular Genetics and Cell Biology, University of Chicago, Chicago, IL, USA*

Preface. Cell death: the 'Yin' path in the balancing act of the life cycle **vii–viii**

Section 1: Developmental cell death in plants

Programmed cell death of tracheary elements as a paradigm in plants
H. Fukuda **245–253**

Programmed cell death in cereal aleurone
A. Fath, P. Bethke, J. Lonsdale, R. Meza-Romero, R. Jones 255–266

Programmed cell death in plant reproduction
H.-m. Wu, A.Y. Cheung 267–281

Programmed cell death during endosperm development
T.E. Young, D.R. Gallie 283–301

Regulation of cell death in flower petals
B. Rubinstein 303–318

Section 2: Induced cell death models

Hypersensitive response-related death
M.C. Heath 321–334

Transgene-induced lesion mimic
R. Mittler, L. Rizhsky 335–344

Ozone: a tool for probing programmed cell death in plants
M.V. Rao, J.R. Koch, K.R. Davis 345–358

Programmed cell death in cell cultures
P.F. McCabe, C.J. Leaver 359–368

Section 3: Machine parts and regulators of the death engine in plants

Regulators of cell death in disease resistance
K. Shirasu, P. Schulze-Lefert 371–385

Endonucleases
M. Sugiyama, J. Ito, S. Aoyagi, H. Fukuda 387–397

Plant proteolytic enzymes: possible roles during programmed cell death
E.P. Beers, B.J. Woffenden, C. Zhao 399–415

Caspase-like protease involvement in the control of plant cell death
E. Lam, O. del Pozo 417–428

Salicylic acid in the machinery of hypersensitive cell death and disease resistance
M.E. Alvarez 429–442

Index 443–444

Vol. 44, No. 4 November (I) 2000

Mini-review

Phylogenetic origin of a secondary pathway: the case of pyrrolizidine alkaloids
D. Ober, T. Hartmann 445–450

Research papers

The role of hexokinase in plant sugar signal transduction and growth and development
W. Xiao, J. Sheen, J.-C. Jang 451–461

Caleosins: Ca^{2+}-binding proteins associated with lipid bodies
H. Naested, G.I. Frandsen, G.-Y. Jauh, I. Hernandez-Pinzon, H.B. Nielsen, D.J. Murphy, J.C. Rogers, J. Mundy **463–476**

Increased abundance of MTD1 and MTD2 mRNAs in nodules of decapitated *Medicago truncatula*
P.M.G. Curioni, B. Reidy, T. Flura, R. Vögeli-Lange, J. Nösberger, U.A. Hartwig **477–485**

Identification and characterization of a heat-induced isoform of aldolase in oat chloroplast
R. Michelis, S. Gepstein **487–498**

The *Arabidopsis thaliana* PPX/PP4 phosphatases: molecular cloning and structural organization of the genes and immunolocalization of the proteins to plastids
G. Pujol, T.I. Baskin, A. Casamayor, N. Cortadellas, A. Ferrer, J. Ariño **499–511**

Two rice MADS domain proteins interact with *OsMADS1*
J. Lim, Y.-H. Moon, G. An, S.K. Jang **513–527**

The sequence and secondary structure of the 3′-UTR affect 3′-end maturation, RNA accumulation, and translation in tobacco chloroplasts
R.-A. Monde, J.C. Greene, D.B. Stern **529–542**

Binding of cell-specific nuclear proteins to the 5′-flanking region of maize C_4 phospho*enol*pyruvate carboxylase gene confers its differential transcription in mesophyll cells
M. Taniguchi, K. Izawa, M.S.B. Ku, J.-H. Lin, H. Saito, Y. Ishida, S. Ohta, T. Komari, M. Matsuoka, T. Sugiyama **543–557**

Genes normally expressed in the endosperm are expressed at early stages of microspore embryogenesis in maize
J.-L. Magnard, E. Le Deunff, J. Domenech, P.M. Rogowsky, P.S. Testillano, M. Rougier, M.C. Risueño, P. Vergne, C. Dumas **559–574**

Vol. 44, No. 5 November (II) 2000

Mini-review

Proteomics: a link between genomics, genetics and physiology
M. Zivy, D. de Vienne **575–580**

Research papers

An osmotin-like cryoprotective protein from the bittersweet nightshade *Solanum dulcamara*
S. Samuel Newton, J.G. Duman **581–589**

Amino acid deletions in loop C of the chlorophyll *a*-binding protein CP47 alter the chloride requirement and/or prevent the assembly of photosystem II
S.M. Clarke, J.J. Eaton-Rye **591–601**

Molecular characterization of quinolinate phosphoribosyltransferase (QPRTase) in *Nicotiana*
S.J. Sinclair, K.J. Murphy, C.D. Birch, J.D. Hamill **603–617**

Structure and expression of duplicate *AGAMOUS* orthologues in poplar
A.M. Brunner, W.H. Rottmann, L.A. Sheppard, K. Krutovskii, S.P. DiFazio, S. Leonardi, S.H. Strauss **619–634**

Molecular cloning and characterization of *OsPSK*, a gene encoding a precursor for phytosulfokine-α, required for rice cell proliferation
H. Yang, Y. Matsubayashi, H. Hanai, K. Nakamura, Y. Sakagami **635–647**

Circadian and senescence-enhanced expression of a tobacco cysteine protease gene
T. Ueda, S. Seo, Y. Ohashi, J. Hashimoto **649–657**

Characterization of carrot nuclear proteins that exhibit specific binding affinity towards conventional and non-conventional DNA methylation
L. Pitto, F. Cernilogar, M. Evangelista, L. Lombardi, C. Miarelli, P. Rocchi **659–673**

A *Catharanthus roseus* BPF-1 homologue interacts with an elicitor-responsive region of the secondary metabolite biosynthetic gene *Str* and is induced by elicitor via a JA-independent signal transduction pathway
L. van der Fits, H. Zhang, F.L.H. Menke, M. Deneka, J. Memelink **675–685**

Hexose transporters of tomato: molecular cloning, expression analysis and functional characterization
M.L. Gear, M.L. McPhillips, J.W. Patrick, D.W. McCurdy **687–697**

Vol. 44, No. 6 December 2000

Editorial: The free flow of ideas, information and materials
N.V. Raikhel, M. Nishimura, R.S. Quatrano, S.H. Howell, W. Davies, D. Bowles **v–vi**

Requirement for cytoplasmic protein synthesis during circadian peaks of transcription of chloroplast-encoded genes in *Chlamydomonas*
R. Kawazoe, S. Hwang, D.L. Herrin **699–709**

Single amino acid substitutions at the acyl-CoA-binding domain interrupt ^{14}[C]palmitoyl-CoA binding of ACBP2, an *Arabidopsis* acyl-CoA-binding protein with ankyrin repeats
M.-L. Chye, H.-Y. Li, M.-H. Yung **711–721**

Site-specific accumulation of a LINE-like retrotransposon in a sex chromosome of the dioecious plant *Cannabis sativa*
K. Sakamoto, N. Ohmido, K. Fukui, H. Kamada, S. Satoh **723–732**

Molecular cloning and functional expression of a stress-induced multifunctional *O*-methyltransferase with pinosylvin methyltransferase activity from Scots pine (*Pinus sylvestris* L.)
H. Chiron, A. Drouet, A.-C. Claudot, C. Eckerskorn, M. Trost, W. Heller, D. Ernst, H. Sandermann Jr **733–745**

Spatial and temporal patterns of GUS expression directed by 5′ regions of the *Arabidopsis thaliana* farnesyl diphosphate synthase genes *FPS1* and *FPS2*
N. Cunillera, A. Boronat, A. Ferrer **747–758**

Methods of double-stranded RNA-mediated gene inactivation in *Arabidopsis* and their use to define an essential gene in methionine biosynthesis
J.Z. Levin, A.J. de Framond, A. Tuttle, M.W. Bauer, P.B. Heifetz **759–775**

A gene expression screen identifies *EARLI1* as a novel vernalization-responsive gene in *Arabidopsis thaliana*
R. Wilkosz, M. Schläppi **777–787**

Agrobacterium-mediated sorghum transformation
Z.-y. Zhao, T. Cai, L. Tagliani, M. Miller, N. Wang, H. Pang, M. Rudert, S. Schroeder, D. Hondred, J. Seltzer, D. Pierce **789–798**

Promiscuous and specific phospholipid binding by domains in ZAC, a membrane-associated _Arabidopsis_ protein with an ARF GAP zinc finger and a C2 domain
R.B. Jensen, K. Lykke-Andersen, G.I. Frandsen, H.B. Nielsen, J. Haseloff, H.M. Jespersen, J. Mundy, K. Skriver **799–814**

Functional analysis of the PsbX protein by deletion of the corresponding gene in _Synechocystis_ sp. PCC 6803
C. Funk **815–827**

Instructions for authors **829–832**

Volume contents **833–838**

Author index **839–840**